Subject Index

Abbreviations: (A) Abstract; (CR) Case Report; (LE) Letter to the Editor; (R) Review.

ARF, acute rheumatic fever; ASD, atrial septal defect; AV, atrioventricular; CHD, coronary heart disease; DILV, double-inlet left ventricle; DORV, double-outlet right ventricle; G6PD, glucose-6-phosphate dehydrogenase; LPA, left pulmonary artery; LV, left ventricle or left ventricular; MRI, magnetic resonance imaging; PDA, persistent or patent ductus arteriosus; PTFE, polytetrafluoroethylene; PVC, pulmonary venous connection; RPA, right pulmonary artery; RV, right ventricle or right ventricular; SA, sinoatrial; SIDS, sudden infant death syndrome; SVC, superior vena cava; TAPVC, total anomalous pulmonary venous connection; TGA, transposition of the great arteries; 2-D, two-dimensional; VA, ventriculoarterial; VSD, ventricular septal defect.

Acidemia and hypoxemia, cardiovascular responses to (newborn lambs), (A) *254*
Acute rheumatic fever (ARF) with hemolysis in G6PD deficiency, (LE) *328*
Adrenergic and cholinergic innervation of isolated SA node cells, (A) *251*
Afterload reduction by tolazoline in neonatal hypoxemia, *93*
Alcohol, sensitivity to, in embryonic heart, (A) *254*
Allografts for aortopulmonary artery anastomoses in neonates, *13*
Amiodarone treatment in children, (A) *242*
Anatomic correction of TGA, LV function after, (A) *247*
Anatomy, cross-sectional, of infundibular anomalies in AV septal defect, (A) *230*
Aneurysm, dilatation and stenosis of right SVC at entry to left atrium, (CR) *123*
false, after septic involvement of PTFE anastomoses, (CR) *297*
saccular aortic, without symptoms, (CR) *313*
Angiography of incomplete AV canal malformation, (A) *229*
in tricuspid atresia with imperforate valve, (CR) *49*
Anomalous left coronary artery with mitral insufficiency, echocardiographic aspect, *35*
mitral cleft with abnormal VA connection, *1*
origin of single coronary artery from RPA, (CR) *301*
pulmonary venous connection, partial, to right lung with sinus venosus, *156*
Aortic, aneurysm, saccular, without symptoms, (CR) *313*
arch and ascending aorta, catheterization of, (LE) *75*
interrupted right, in complex TGA, (CR) *217*
retroesophageal right, *191*
insufficiency, severe, caused by aortico-LV tunnel, *241*
stenosis, valvar, LV pressure calculation from M-mode echo in, *248*
valve cusps, involvement in discrete subaortic stenosis, *185*
Aortico-left ventricular tunnel, causing severe aortic insufficiency in neonates, *241*
Apical diverticula of right and left ventricles in cardiomyopathy, (LE) *71*
Arrhythmias, atrial, (A) *255*
cardiac, *267*
preexcitation-induced, documented through four generations, (A) *243*
Arterial calcification, idiopathic infantile, with survival to adulthood, (CR) *119*
switch operation for Taussig-Bing DORV, (A) *235*
Atresia, tricuspid, anatomic details in, (A) *246*
Atrial arrhythmias, significant, after modified Fontan operation, (A) *255*
extrasystoles, nonconducted, as cause of fetal neonatal bradycardia, (A) *242*
fibrillation, fate of children with, (A) *242*
flutter, effect on exercise capacity after CHD surgery, (A) *261*
pacing in a young population, (A) *261*
septal defect (ASD), ostium primum, outflow tract obstruction in, (A) *228*
primum and Ebstein's anomaly, (A) *243*
primum, 20-year review of repair, (A) *255*
secundum, sinus node and AV node dysfunction in, (A) *237*
sinus venosus with partial anomalous PVC of right lung, (LE) *158*
tachycardia, multifocal, in infancy, (A) *236*
Atrioventricular (AV) block, first degree, site of conduction delay and significance of, in children, (A) *260*
or atrial arrhythmias in Fontan operation, (A) *255*
Atrioventricular canal, complete, effect of surgery on ventricular volumes in, *159*
complete, surgery of, (A) *231*
incomplete, angiography and 2-D echocardiography in, (A) *229*
Atrioventricular connection, absent right, and double-inlet ventricle in chromosomal translocation, (CR) *55*
Atrioventricular reentrant tachycardias in neo-

nates, ventricular pacing in the control, (CR) *45*
Atrioventricular septal defect, angiography of, (A) *229*
complete, evolution of pulmonary hypertension in, (A) *232*
complete, results of surgery of, (A) *231*
conduction system in, (A) *228*
developmental aspects of, (A) *227*
with Down's syndrome, natural history of, (A) *232*
with Fallot's tetralogy or pulmonary atresia, (A) *230*
with infundibular anomalies, (A) *230*
obstruction of outflow tract in, (A) *228*
ostium primum, anatomic and surgical aspects of, (A) *231*
2-D echo with Doppler in, (A) *230*
with ventricular septal deficiency, (A) *227*
Atrioventricular valve, morphology in AV septal defect, (A) *227*
Atrium, common, repair, postoperative problems in, (A) *233*
AV canal, complete, with Fallot's tetralogy, (CR) *213*
AV node and sinus node dysfunction in secundum ASD, (A) *237*
AV valve, dysplastic, in complete AV canal with Fallot's tetralogy, (CR) *213*

Balloon septostomy in TGA, (A) *248*
transvenous occlusion of PDA (experimental study), *79*
Biopsy, skeletal muscle, in screening for treatable cardiomyopathies, (A) *265*
and significance of, in children, (A) *260*
Bradycardia, fetal and neonatal, due to nonconducted atrial extrasystoles, (A) *242*
–tachycardia syndrome as sign of SA node dysfunction, (A) *238*

C β-hemolytic streptococcal endocarditis, (CR) *61*
Calcium channel density, increased, in cardiac sarcoplasmic reticulum from fetal sheep, (A) *251*
Calcium exchange in adult and neonatal canine myocardium, (A) *253*
Cardiac arrhythmias in infants at high risk for SIDS, *267*
chambers, isolation of and identification of asynchronous contraction pattern by qualitative phase analysis, *179*
conduction system, distal, electrical coupling in, (A) *253*
failure, postoperative, treated with prazosin, (LE) *327*
hypertrophy, dopamine-induced, (A) *264*
and renal function, after open-heart surgery, significance of reduced radionuclide ejection fraction, *167*
sarcoplasmic reticulum, increased calcium channel density in, (A) *251*
surgery, corrective, renal and hemodynamic effects of dopamine in infants after, (A) *264*
Cardiomyopathy with apical diverticula of right and left ventricles, (LE) *71*
congestive, treated with prazosin, (LE) *327*
dilated, LV thrombi in children with, (CR) *65*
hypertrophic, induced by steroids in an infant, (CR) *117*
idiopathic restrictive, M-mode echocardiographic findings, *273*
treatable, skeletal muscle biopsy in screening for, (A) *265*
Cardiovascular anomalies and conal morphology in Fallot's tetralogy and "pseudotruncus," (A) *246*
responses to hypoxemia and acidemia in newborn lambs, (A) *254*
system in hyperthyroidism, (A) *245*
Catheterization of aortic arch and ascending aorta, (LE) *75*
Childhood high-altitude pulmonary edema, hypoxic pulmonary vascular reactivity in, (A) *265*
Cholinergic and adrenergic innervation of isolated SA node cells, (A) *251*
Chromosomal translocation in absent right AV connection and double-inlet ventricle, (CR) *55*
Cleft, anomalous mitral, abnormal VA connection with, *1*
Coarctation of the aorta, repair of, in children with Turner syndrome, *175*
Code, diagnostic, for CHD, *331*
Common atrium repair, postoperative problems in, (A) *233*
Complete AV canal, effect of surgery on ventricular volumes in, *159*
Conal analysis, posterior, in common conotruncal defects, (A) *254*
morphology and associated cardiovascular anomalies in Fallot's tetralogy and "pseudotruncus," (A) *246*
Conduction delay and first-degree AV block in children, (A) *260*
system, distal cardiac, electrical coupling in, (A) *253*
in AV septal defect, (A) *228*
Congenital heart disease (CHD) diagnostic code, *331*
and genetic risks, (A) *257*
pulmonary vascular reactivity in, using prostaglandin E_1, (A) *265*

sequential segmental analysis of, (R) *281*
surgery, effect of atrial flutter on exercise capacity in adolescents after, (A) *261*
and twinning, (A) *241*
verapamil effect in children with CHD, (A) *237*
Congestive cardiomopathy, prazosin in the treatment of, (LE) *237*
Conotruncal defects, common, posterior conal analysis in, (A) *254*
Contraction, asynchronous, identified by qualitative phase analysis, *179*
Contrast echocardiography, 2-D, to evaluate Senning repair, *107*
Conus, obstructive subaortic, (A) *254*
Coronary aneurysms, with atypical Kawasaki syndrome and streptococcal infection, (CR) *205*
artery, anomalous left, with mitral insufficiency in infancy, echocardiographic aspects of, *35*
single, from RPA, (CR) *301*
Cost and effect of open-heart procedures in infants under four months old, (A) *256*
Cyanotic congenital heart disease complex, use of saphenous vein allografts for, *13*

Defect, AV septal, developmental aspects of, (A) *227*
Dehiscence of cranial sutures under long-term prostaglandin E treatment in newborns, (A) *244*
Developmental aspects of AV spetal defects, (A) *227*
Di George syndrome, partial, in complex TGA, with interrupted right aortic arch, (CR) *217*
Diagnostic code for CHD, *331*
Digitalis toxicity in infants and children, (R) *131*
Digoxin levels, plasma, in children after open-heart surgery, (A) *245*
Digoxin–quinidine interaction in neonatal puppies, (A) *258*
Dilated cardiomyopathy, LV thrombi in children with, (CR) *65*
Diverticula, apical, of right and left ventricles in cardiomyopathy, (LE) *71*
Dopamine, hemodynamic effects of, in normoxic and hypoxic lambs, (A) *252*
-induced cardiac hypertrophy, (A) *264*
renal and hemodynamic effects of, in infants after corrective surgery, (A) *264*
Doppler system, multigate pulsed, for assessing pulmonary valve stenosis severity, (A) *239*
pulsed, for studying newborn transitional circulation, (A) *253*
velocities, transatrial septal, in prediction of QP:QS ratio in ASD, (A) *257*
Double-inlet left ventricle (DILV) and absent right AV connection in chromosomal translocation, (CR) *55*
with obstructed interior subaortic outlet foramen, surgical repair of, (A) *256*
Double-outlet right ventricle (DORV) with discrete subaortic stenosis, (LE) *157*
Taussig-Bing arterial switch operation for, (A) *235*
with VSD, subpulmonary, (A) *234*
Down's syndrome with complete AV septal defect, (A) *232*
Ductal origin of LPA in Fallot's tetralogy, (CR) *323*
Ductus arteriosus, morphology in TGA, prostaglandin effects by echocardiography, (A) *251*
persistent transvenous double-balloon occlusion of, *79*
prostaglandin E_1 responsive at age 11 months, (CR) *19*
treated with prostaglandins, pathology of, *85*
Dysrhythmias, sustained fetal, Doppler echocardiographic findings in, (A) *263*

Ebstein's anomaly and primum ASD, (A) *243*
and embryology of tricuspid valve, (CR) *289*
operative and late results of, (A) *235*
with overriding tricuspid valve, (CR) *209*
Echocardiography, afterload reduction by tolazoline in neonatal hypoxemia, evidence by, *93*
AV canal malformation, evaluation by, (A) *229*
balloon septostomy in TGA aided by, (A) *248*
Doppler in sustained fetal dysrhythmias, (A) *263*
Fontan operation, assessment for, by, (A) *235*
infundibular anomalies in AV septal defects by, (A) *230*
LV function in dogs, (A) *248*
M-mode, in idiopathic restrictive cardiomyopathy, *273*
and pulmonary artery pressure, (A) *262*
in mucopolysaccharidoses, (A) *262*
of overriding tricuspid valve in Ebstein's anomaly, (CR) *209*
in perimembranous VSD, assessing natural history with, (A) *239*
prostaglandin effects on ductus arteriosus morphology in TGA, by, (A) *251*
sequential, in purulent pericarditis, (CR) *317*
in surgical management of mitral insufficiency, (CR) *35*
2-D contrast in Senning repair, *107*
2-D range gated Doppler, QP:QS ratio, (A) *238*
Ejection fraction, postoperative, for assessing cardiac and renal functions after open-heart surgery, *167*
Electrical coupling in distal cardiac conduction system, (A) *260*
Electrocardiography, isolated ventricular inversion, findings in, (CR) *27*

signal-averaged, in ventricular tachycardia of children, (A) *260*
Electrogram in neonates, noninvasive recording of His bundle, *7*
Electrophysiology, Fontan repair, findings in, (A) *258*
recurrent syncope, study of "healthy" patients with, (A) *259*
refractory supraventricular tachycardias, studies in, (A) *236*
verapamil in CHD, study of effect on, (A) *237*
Embryology of tricuspid valve and Ebstein's malformation, (CR) *289*
Embryonic circulation, interference with, in morphogenesis of truncoconal defects, (A) *245*
heart, sensitivity to alcohol, (A) *254*
Endocarditis, bacterial, due to satelliting streptococci, (A) *244*
group C β-hemolytic streptococcal, (CR) *61*
streptococcal, (A) *244*
Exercise capacity affected by atrial flutter after CHD surgery, (A) *261*
response to, in pre- and postoperative pulmonary atresia, (A) *256*
test for identifying abnormal pacemaker function, (A) *259*
Extrasystoles, nonconducted atrial, as cause of fetal and neonatal bradycardia, (A) *242*
ventricular couplets and triplets, (A) *259*

Fallot's tetralogy, abnormalities of depolarization and repolarization in, (A) *237*
in AV septal defects, (A) *230*
in complete AV canal, dysplastic AV valve in, (CR) *213*
conal morphology and cardiovascular anomalies in, (A) *246*
with ductal origin of LPA, (CR) *323*
Familial preexcitation with serious arrhythmias through four generations, (A) *243*
Fiberoptic system for visualization of cardiovascular structures, (A) *264*
Fibrillation, atrial, fate of children with, (A) *242*
Fontan operation, electrophysiologic findings after, (A) *258*
functional assessment of, (A) *235*
modified, in presence of AV block or atrial arrhythmias, (A) *255*
survival after, (A) *234*

Genetic risk in CHD, (A) *257*
Glucose-6-phosphate dehydrogenase (G6PD) deficiency in ARF with hemolysis, (LE) *328*
Granulocytopenia, chronic benign, successful surgery, *74*
Great arteries, transposition of (TGA), inducible polymorphous ventricular tachycardia in, (CR) *39*

Halothane, and isoflurane anesthesia, hemodynamic and cardiovascular effects of, (A) *263*
Heart block, complete, and polysplenia syndrome in, (LE) *225*
Heart disease, congenital, diagnostic code for, *331*
Heart rate, intrinsic, in children as index of sinus node function, (A) *258*
Hemodynamic and renal effects of dopamine in infants after surgery, (A) *264*
Hemolysis in ARF with G6PD deficiency, (LE) *328*
High-altitude pulmonary edema, hypoxic pulmonary vascular reactivity in, (A) *265*
His bundle electrogram in neonates, noninvasive recording of, *7*
Hypertension, pulmonary, in complete AV septal defect, (A) *232*
Hyperthyroidism and the cardiovascular system, (A) *245*
Hypertrophic cardiomyopathy, steroid-induced, (CR) *117*
Hypertrophy, cardiac, dopamine-induced, (A) *264*
Hypoplastic left heart syndrome with dysplastic pulmonary valve with stenosis, (CR) *127*
Hypoxemia and acidemia, cardiovascular responses to (newborn lambs), (A) *254*
neonatal, afterload reduction by tolazoline in, *93*
Hypoxia effect on transmembrane electrical activity of ventricular muscle, (A) *261*
Hypoxic and normoxic lambs, hemodynamic effects of dopamine in, (A) *252*

Idiopathic infantile arterial calcification with long survival, (CR) *119*
restrictive cardiomyopathy M-mode findings, *273*
Implantation of permanent cardiac pacemakers, (LE) *72*
In utero diagnosis of pericardial tumor, (CR) *23*
Infantile arterial calcification, idiopathic, with survival to adulthood, (CR) *119*
Intracardiac thrombus, detection by 2-D echocardiography, (A) *240*
Inversion, isolated ventricular, echocardiographic findings in, (CR) *27*
Isoflurane, and halothane anesthesia, hemodynamic and cardiovascular effects of, (A) *263*
Isolated ventricular inversion, 2-D echocardiography of, (CR) *27*
Isuprel, administration for LV pressure calculation, (A) *248*

Kawasaki syndrome, atypical, and streptococcal infection with coronary aneurysms, (CR) *205*

Laser Doppler in pulsatile flow model of pulmonic stenosis, (A) *239*
Left coronary artery, anomalous, with mitral insufficiency, (CR) *35*
Left heart, hypoplastic, with dysplastic pulmonary valve, (CR) *127*
Left pulmonary artery (LPA), with ductal origin in Fallot's tetralogy, (CR) *323*
Left ventricular (LV) contraction, incoordinate, and relaxation in TGA, (A) *247*
function after anatomic correction of TGA, (A) *247*
muscle volume, *101*
pressure by M-mode echo, (A) *248*
Leukotriene inhibition, effect on perinatal circulation in lambs, (A) *263*
Lung perfusion, collateral, in TGA, (A) *241*

Magnetic-resonance imaging for evaluating systemic–pulmonary artery shunts, (A) *257*
Mitral cleft, anomalous, VA connections with, *1*
Mitral insufficiency, with anomalous left coronary artery, (CR) *35*
Mitral valve replacement in neonates, (CR) *307*
Morphogenesis of truncoconal defects, (A) *245*
Mucopolysaccharidoses, abnormalities in, (A) *262*
Muscle biopsy, skeletal, in screening for treatable cardiomyopathies, (A) *265*
Muscle volume, LV, *101*
Mustard operation for TGA, polymorphous ventricular tachycardia after, (CR) *39*
Myocardial disease in Rocky Mountain spotted fever, (R) *149*
Myocardium, adult and neonatal dogs, calcium exchange in, (A) *253*

Natural history of complete AV septal defect with Down's syndrome, (A) *232*
Neonatal hypoxemia, action of tolazoline in, *93*
replacement of mitral valve, (CR) *307*
Neonates, with AV reentrant tachycardias, ventricular pacing in, (CR) *45*
His bundle electrogram in, *7*
with complex cyanotic CHD, use of saphenous vein allografts, *13*
Newborn, transitional circulation, pulsed Doppler study in, (A) *253*
Normoxic and hypoxic lambs, hemodynamic effects of dopamine in, (A) *252*

Open-heart surgery, effect and cost of procedures in infants under four months old, (A) *256*
plasma digoxin levels after, (A) *245*
followed by renal failure, successful treatment, (LE) *74*
Ostium primum, AV septal defect, anatomic and surgical aspects of, (A) *231*
defect repair, 20-year review, (A) *255*
Outflow tract obstruction in AV septal defect, (A) *228*
Oxygen administration with pulmonary vascular disease, (A) *233*

Pacemaker, abnormal function, identified by exercise stress testing, (A) *259*
implantation of permanent cardiac, (LE) *72*
implantation in infant with sick sinus syndrome, (LE) *155*
Pacing, atrial, in a young population, (A) *261*
rapid ventricular, to control AV reentrant tachycardias, (CR) *45*
Pericardial tumor with successful repair in utero, diagnosis of, (CR) *23*
Pericarditis, purulent, sequential echocardiography in, (CR) *317*
Perinatal pulmonary circulation in lambs, effect of leukotriene inhibition on, (A) *263*
Persistent ductus arteriosus (PDA), prostaglandin treatment, pathology of, *85*
transvenous double-occlusion of, *79*
Persistent truncus arteriosus and valvar stenosis, (A) *247*
Phase analysis, qualitative, for isolation of cardiac chambers, *179*
Polysplenia syndrome in complete heart block, (LE) *225*
Polytetrafluoroethylene (PTFE) anastomoses with false aneurysms after sepsis, (CR) *297*
Postoperative ejection fraction, cardiac and renal function, assessment of, *167*
Prasozin in treatment of congestive cardiomyopathy or postoperative cardiac failure, (LE) *327*
Preexcitation, familial, through four generations, (A) *243*
Primum ASD and Ebstein's anomaly, (A) *243*
Procainamide for paroxysmal tachycardia, (A) *260*
Prostaglandin E_1 for determining pulmonary vascular reactivity in CHD, (A) *265*
PDA morphology in TGA, effects on, (A) *251*
PDA treated, pathology of, *85*
responsive ductus at age 11 months, (CR) *19*
in TAPVC, (CR) *115*
Pulmonary artery index correlated with survival in Fontan operation, (A) *234*
left, originating from ductus in Fallot's tetralogy, (CR) *323*
pressure, pulsed Doppler and M-mode noninvasive evaluation of, (A) *262*
Pulmonary atresia in AV septal defect, (A) *230*

with intact ventricular septum and RV to coronary artery communications, (CR) *221*
pre- and postoperative exercise response in, (A) *256*
tricuspid valve, surgical closure of, *221*
Pulmonary circulation, perinatal, in lambs, effect of leukotriene inhibition on, (A) *263*
Pulmonary hypertension, in complete AV septal defect, (A) *232*
Pulmonary–systemic flow ratio in ASD, predicted by Doppler velocities, (A) *257*
quantitation with 2-D range gated echocardiography, (A) *238*
Pulmonary valve, dysplastic, stenosis in hypoplastic left heart syndrome, (CR) *127*
Pulmonary valve stenosis in hypoplastic left heart syndrome, (CR) *127*
severity, assessment of, (A) *239*
Pulmonary vascular disease in AV septal defect, (A) *233*
oxygen administration, long-term, (A) *233*
Pulmonary vascular reactivity in congenital heart disease as tested by prostaglandin E_1, (A) *265*
hypoxic, in high-altitude pulmonary edema, (A) *265*
Pulmonary vein stenosis and direct entry of right SVC into left atrium, (CR) *123*
Pulmonary venous connection (PVC), total anomalous, to portal system, and prostaglandin E_1, (CR) *115*
Pulsed Doppler and M-mode echocardiography evaluation of pulmonary artery pressure, (A) *262*
Purulent pericarditis, sequential echocardiography in, (CR) *317*

Quinidine–digoxin interaction in neonatal dogs, (A) *258*

Radioimmunologic plasma digoxin levels after open-heart surgery, (A) *245*
Renal and cardiac function after open-heart surgery, significance of reduced ejection fraction, *167*
and hemodynamic effects of dopamine in infants after corrective cardiac surgery, (A) *264*
Renal failure after open-heart surgery in a 2-kg infant, successful management of, (LE) *74*
Repair of coarctation of aorta in Turner syndrome, *175*
Retroesophageal right aortic arch, *191*
Rheumatic fever, acute (ARF), with hemolysis in G6PD deficiency, (LE) *328*
Right superior vena cava entry into left atrium with aneurysm and stenosis, (CR) *123*
Right ventricle (RV), divided, anatomic varieties of, (R) *197*
pressure estimation by isotopes (myocardial scintigraphy), (A) *240*
Rocky Mountain spotted fever, myocardial disease in, (R) *149*

Saccular aortic aneurysm without symptoms, (CR) *313*
Saphenous vein allografts for aortopulmonary artery anastomoses in neonates, *13*
Sarcoplasmic reticulum, cardiac, from fetal sheep and increased calcium channel density, (A) *251*
Segmental analysis, sequential, of CHD, (R) *281*
Senning repair evaluated by 2-D echocardiography, *107*
Sepsis of PTFE anastomoses producing false aneurysms, (CR) *297*
Septal defect, atrial, with partial anomalous PVC of right lung, (LE) *156*
atrioventricular, angiography of, (A) *229*
ventricular, anatomy of, (A) *228*
Sequential echocardiography in purulent pericarditis, (CR) *317*
segmental analysis of CHD, (R) *281*
Shunts, systemic–pulmonary artery, (A) *257*
Sick sinus syndrome in infants with pacemaker, (LE) *155*
Signal-averaged electrocardiography for defining differences in ventricular tachycardia, (A) *260*
Sinoatrial (SA) node cell, isolated, adrenergic and cholinergic innervation of, (A) *251*
dysfunction in bradycardia-tachycardia syndrome, (A) *238*
ultrastructural and morphometric analysis of, in newborn rats, (A) *262*
Sinus node and AV node dysfunction in secundum ASD, (A) *237*
function as determined by intrinsic heart rate, (A) *258*
Skeletal muscle biopsy in screening for treatable cardiomyopathies, (A) *265*
Stenosis, discrete subaortic, with DORV, (LE) *157*
Steroid-induced hypertrophic cardiomyopathy in an infant, (CR) *117*
Streptococcal endocarditis, group C β-hemolytic, (CR) *61*
infection and atypical Kawasaki syndrome with coronary aneurysms, (CR) *205*
Subaortic conus, obstructive, (A) *254*
stenosis, aortic valve cusp involvement, *185*
discrete, with DORV, (LE) *157*
Subclavian steal in infants and children, (A) *244*
Sudden infant death syndrome (SIDS), arrhythmias in high-risk infants, *267*
primary abnormalities of cardiac rhythm in in-

fants with, *267*
Supraventricular tachycardias, electrophysiologic studies and management of, (A) *236*
Surgery, anomalous left coronary artery with mitral insufficiency, (CR) *35*
common atrium repair, (A) *233*
complete AV canal with Fallot's tetralogy and dysplastic AV valve, (CR) *213*
complete AV defect in infancy, (A) *231*
complex congenital cardiac anomaly in chronic benign granulocytopenia, (LE) *74*
DORV with subpulmonary VSD, (A) *234*
and Ebstein's malformation, late results of, (A) *235*
in infants under four months of age, (A) *256*
ostium primum, AV septal defect, (A) *231*
ostium primum defect, 20-year review, (A) *255*
palliative and corrective, effect on ventricular volumes in complete AV, *159*
tricuspid atresia with imperforate valve, (CR) *49*
truncus arteriosus, *111*
univentricular heart with obstructed outlet foramen, (A) *256*
Surgical repair, in utero, of pericardial tumor, (CR) *23*
Syncope, recurrent, in ostensibly healthy patients, (A) *259*
Systemic–pulmonary artery shunts, evaluated by MRI, (A) *257*

Tachycardia, multifocal atrial, in infancy, (A) *236*
paroxysmal, treated with procainamide, (A) *260*
supraventricular, electrophysiologic studies of management of, (A) *236*
TAPVC to portal system, prostaglandin E_1 in, (CR) *115*
Thrombi, LV, in children with dilated cardiomyopathy, (CR) *65*
intracardiac, 2-D echocardiographic detection of, (A) *240*
Tolazoline, mechanism of, in neonatal hypoxemia, *93*
Toxicity, digitalis, (R) *131*
Transatrial septal Doppler velocities, prediction of QP:QS in ASD, (A) *257*
Transcatheter fiberoptic system for direct visualization of cardiovascular structures, (A) *264*
Transitional circulation, newborn, pulsed Doppler study of, (A) *253*
Transmembrane electrical activity of ventricular muscle, effect of hypoxia on, (A) *261*
Transposition of great arteries (TGA), balloon septostomy for, use of echocardiography in, (A) *248*
collateral lung perfusion in, (A) *241*
complex, with interrupted right aortic arch in partial Di George syndrome, (A) *217*
ductus arteriosus morphology in, (A) *251*
incoordinate LV contraction and relaxation in, (A) *247*
indications and experience of anatomic correction, (A) *247*
inducible polymorphous ventricular tachycardia after Mustard operation, (CR) *39*
repair by Senning operation, *107*
Transvenous double-balloon occlusion of PDA (experimental study), *79*
Tricuspid atresia, anatomic details of, (A) *246*
with imperforate valve, (CR) *49*
Tricuspid valve, embryologic development of, and Ebstein's malformation, (CR) *289*
overriding, with Ebstein's anomaly, (CR) *209*
surgical closure of, for pulmonary atresia, intact ventricular septum, and RV to coronary artery communications, (CR) *221*
Truncoconal defects, morphogenesis of, (A) *245*
Truncus arteriosus, persistent, and valvar stenosis, (A) *247*
surgical repair of, *111*
Tumor, pericardial, in utero diagnosis of, (CR) *23*
Turner syndrome, repair of coarctation of aorta in children with, *175*
Twinning and congenital heart defects, (A) *241*
Two-dimensional (2-D) contrast echocardiography in Senning repair of TGA, *107*
echocardiographic detection of thrombus, (A) *240*
echocardiographic findings in isolated ventricular inversion, (CR) *27*
echocardiography with Doppler in AV septal defect, (A) *230*

Ultrasound, Doppler, velocity measurement for predicting transvalvar gradients, (A) *239*
Univentricular heart (DILV) with obstructed outlet foramen, surgical repair of, (A) *256*

Valvar stenosis, in persistent truncus arteriosus, (A) *247*
Valve replacement, mitral, in neonate, (CR) *307*
in children, *255*
Vascular disease, pulmonary, in AV septal defect, (A) *233*
long-term oxygen administration in, (A) *233*
Vascular smooth muscle, verapamil effect on, (A) *252*
Vein allografts for aortopulmonary artery anastomoses in neonates, *13*
Ventricle, divided right, review of anatomic varieties of, (R) *197*
DORV, with discrete subaortic stenosis, (LE) *157*

right, pressure estimation by isotopes, (A) *240*
Ventricular arrhythmias, and abnormalities, of depolarization and repolarization in Fallot's tetralogy, (A) *237*
contraction, left incoordinate, in TGA, (A) *247*
couplets and triplets in children, (A) *259*
function, left, by echocardiography in dogs, (A) *248*
muscle, effect of hypoxia on electrical activity in, (A) *261*
muscle volume, *101*
pacing to control resistant AV reentrant tachycardia in neonates, (CR) *45*
Ventricular septal defect (VSD), anatomy of, (A) *228*
perimembranous, echocardiographic–hemodynamic correlation in, (A) *239*
subpulmonary, DORV with, (A) *234*
Ventricular septal deficiency in AV septal defect, (A) *227*
Ventricular tachycardia, inducible polymorphous, after Mustard operation for TGA, (CR) *39*
monitored by signal-averaged electrocardiography in children, (A) *260*
Ventricular thrombi in children with dilated cardiomyopathy, (CR) *65*
Ventricular volumes after surgery for complete AV canal, *159*
Ventriculoarterial (VA) connection, abnormal, and anomalous mitral cleft, *1*
Verpamil, effect on vascular smooth muscle in immature and mature animals, (A) *252*
in children with CHD, (A) *237*
Visualization of intracardiac and intravascular structures with transcatheter fiberoptic system, (A) *264*

Author Index

Admant P (A) *238*
Aguilar MB (A) *248*
Akesode FA (*see* Sandor GGS) *93*
Alboliras ET (A) *255*
Aleszewicz J (A) *242*
Allam S (A) *231*
Allen HD (A) *257*
Allwork SP (*see* Restivo A) *197*
Almquist A (A) *259*
Alpert BS: Steroid-induced Hypertrophic Cardiomyopathy in an Infant *117*
Anderson RH: Sequential Segmental Analysis of Congenital Heart Disease *281;* (*see* Restivo A) *197;* (*see* Zuberbuhler JR) *289;* (A) *228;* (A) *230;* (A) *231*
Ankeney JL (A) *255*
Anselmi G (A) *245*
Apitz J (*see* Kupferschmid C) *65*
Appelbaum A (LE) *155*
Areias JC (A) *248*
Arrechedeja (A) *245*
Atkins DL (A) *251*
Austoni P (A) *242*
Ayesta C (A) *245*
Azar H (*see* Bullaboy CA) *115*

Bain H (*see* Otero Coto E) *1*
Banićević M (A) *245*
Baraitser M (*see* Burn J) *55*
Barber G (A) *256*
Bargeron LM Jr (A) *229*
Bartelings M (A) *234*
Bauernfeind R (*see* Scagliotti D) *39*
Becker AE (*see* Anderson RH) *281;* (*see* Zuberbuhler JR) *289;* (A) *228*
Becroft DMO (*see* Marrott PR) *119*
Beder SD (A) *255*
Beitzke A (A) *244*
Bendig L (A) *238*
Benditt DG (A) *259;* (A) *260*
Ben-Schachar G (A) *264*
Benson DW Jr (A) *259;* (A) *260;* (A) *261*
Bergstra A (A) *237*
Bernard S (A) *264*
Bexton RS (*see* Nathan AW) *7*
Bharadwaj B (*see* Duncan WJ) *217;* (*see* Duncan WJ) *307;* (*see* Duncan WJ) *313*
Bharati S: Direct Entry of the Right Superior Vena Cava into the Left Atrium with Aneurysmal Dilatation and Stenosis at Its Entry into the Right Atrium with Stenosis of the Pulmonary Veins: a Rare Case *123;* Hypoplastic Left Heart Syndrome with Dysplastic Pulmonary Valve with Stenosis *127*
Bieratowicz-Góźdź M (A) *245*
Binet J-P (LE) *72;* (A) *241*
Bingham WT (*see* Duncan WJ) *217*
Bink-Boelkens MTE (A) *237*
Björkhem G: Sequential Study of Echocardiographic Changes in Purulent Pericarditis *317*
Bjørnstad PG (A) *248*
Black IFS (A) *258*
Blancquaert A (A) *243*
Blieden L (*see* Schneeweiss A) *191*
Bock K (A) *244*
Bojar RM: Surgical Management of Anomalous Left Coronary Artery with Mitral Insufficiency in Infancy: Contribution of Echocardiography *35*
Bolens M (A) *237*
Borbola J (A) *238*
Bos E (*see* Gussenhoven EJ) *209*
Bossina KK (A) *228;* (A) *237*
Bourlon F (A) *240*
Bowyer J (A) *233*
Bradley LM (A) *256*
Bradsher RW (*see* Robinson P) *61*
Brais MP (LE) *156*
Brandt B III: Repair of Coarctation of the Aorta in Children with Turner Syndrome *175*
Braunlin EA (A) *261*
Brenner JI (A) *257*
Breviere GM (A) *241*
Bricker JT (A) *259*
Brito JM (A) *232*
Brock RR (*see* Bharati S) *127*
Brunotte F (A) *238*
Bücherl ES (*see* Warnecke I) *79*
Buck BE (*see* Kory WP) *301*
Bühlmeyer K (A) *230;* (A) *235*
Bull C (A) *232*
Bullaboy CA: Total Anomalous Pulmonary Venous Connection to Portal System: a New Therapeutic Role for Prostaglandin E_1? *115*
Burakovsky VI: Surgical Repair of Truncus Arteriosus *111*
Burn J: Absent Right Atrioventricular Connection and Double-inlet Ventricle due to an Unbalanced Familial 8:13 Chromosome Translocation: a Cautionary Tale *55;* (A) *241*
Busch HJ (A) *239*
Busst C (A) *233*

Cahen L (*see* Colan SD) *267*
Calder AL: Pathology of the Ductus Arteriosus Treated with Prostaglandins: Comparisons with Untreated Cases *85*
Cameron AH (*see* Restivo A) *197*
Camm AJ (*see* Nathan AW) *7*
Caprioli CG (A) *262*
Carpenter MA (*see* Jedeikin R) *323*
Carpenter RJ (A) *263*
Casanova M (A) *232*
Casta A (A) *263*
Castaneda AR (*see* Otero Coto E) *213;* (A) *264*
Chittick VL (A) *251;* (A) *254*
Chow-Tung E (*see* Hastreiter AR) *131*
Clark EB (*see* Brandt B III) *175;* (A) *254*
Cloez JL (A) *231;* (A) *238;* (A) *240*
Colan SD: Incidence and Significance of Primary Abnormalities of Cardiac Rhythm in Infants at High Risk for Sudden Infant Death Syndrome *267*
Colli A (A) *233*
Collins M (*see* Ward DE) *45*
Colvin SB (*see* Danilowicz D) *13*
Conti VR (*see* Monarrez CN) *297*
Coryell KG (A) *253*
Covitz W: Assessment of Cardiac and Renal Function in Children Immediately after Open-Heart Surgery: the Significance of a Reduced Radionuclide Ejection Fraction (Postoperative Ejection Fraction) *167*
Crone RK (A) *264*
Crupi G: Tricuspid Atresia with Imperforate Valve: Angiographic Findings and Surgical Implications in Two Cases with AV Concordance and Normally Related Great Arteries *49*

Danford DA (A) *260*
Daniëls O (A) *239*
Danielson GK (A) *234;* (A) *235;* (A) *255;* (A) *256*
Danilowicz D: Use of Saphenous Vein Allografts for Aortopulmonary Artery Anastomoses in Neonates with Complex Cyanotic Congenital Heart Disease *13*
D'Anniballe L (A) *251*
Davis JT (*see* Levine M) *107*
Dawson P (*see* Ward DE) *45*
De Cristofaro J (*see* Reller M) *205*
De Leon SY (*see* Bojar RM) *35*
De Knecht (A) *239*
De Souza (*see* Schaffer MS) *179*
De Villeneuve VH (*see* Gussenhoven EJ) *209*
Deanfield JE (A) *237*
Denison D (A) *233*
Deutsch V (*see* Schneeweiss A) *191*
Deverall PB (*see* Otero Coto E) *1*
Di Benedetto G (*see* Crupi G) *49*
Díaz Balda I (A) *232*
Dickinson DF (A) *247*
Doshi M (*see* Fisher EA) *159*
Downing JW (A) *257*
Doyle EF (*see* Danilowicz D) *13*
Draulans-Noë HAY (A) *227*
Driscoll DJ (A) *255;* (A) *256*
DuBrow IW (*see* Fisher EA) *159*
Duffy CE (*see* Scagliotti D) *39*
Duncan WJ: Complex Transposition with Interrupted Right Aortic Arch and Partial Di George Syndrome: Successful Palliation with Combined Medical and Surgical Therapy *217;* Mitral Valve Replacement in the Neonate: a Report of Two Cases *307;* Saccular Aortic Aneurysm in an Asymptomatic Child *313*
Dungan WT (A) *264*
Dunnigan A (A) *259;* (A) *260;* (A) *261*
Dupuis C (A) *241*
Dymnicka S (A) *242*

Ebels TJ (A) *228*
Ebelt VJ (*see* Sandor GGS) *93*
Edwards JE (*see* Feigl A) *185*
Edwards WD (A) *254;* (A) *256*
Ehrenhaft JL (*see* Brandt B III) *175*
Ehrlich R (*see* Levine M) *107*
Eijgelaar A (A) *228*
Ell MS (LE) *74*
Emmrich K (A) *244*
Enderlein MA (*see* Snider AR) *27*
Epstein ML (A) *259*
Ereciński J (A) *242*
Essed CE (*see* Gussenhoven EJ) *209*
Eubig C (*see* Covitz W) *167*

Faidutti B (A) *229*
Falkovsky GE (*see* Burakovsky VI) *111*
Fancini P (A) *242*
Fasules JW (A) *265*
Feigl A: Involvement of the Aortic Valve Cusps in Discrete Subaortic Stenosis *185*
Feigl D (*see* Feigl A) *185*
Feltes TF (A) *252*
Ferencz C (A) *257*
Fermont L (A) *240*
Ferrazzi P (*see* Crupi G) *49*
Ferrer PL (*see* Mehta AV) *273*
Fike CD (A) *252*
Fisher EA: Effect of Palliative and Corrective Surgery on Ventricular Volumes in Complete Atrioventricular Canal *159;* (*see* Scagliotti D) *39*
Fisher DJ (A)*254;* (A) *262*
Fletcher BD (A) *257*
Flinn CJ (A) *257*
Flores JC (A) *232*
Frank J (*see* Warnecke I) *79*
Frasch W (A) *235*
Freedom RM (*see* Anderson RH) *281*
Frescura C (A) *228*
Friedlander DH (*see* Marrott PR) *119*
Friedli B (A) *229;* (A) *237*

Galioto FM (A) *255;* (A) *256*
Garcia OL (*see* Mehta AV) *273;* (*see* Kory WP) *301;* (A) *260*
Gardner T (*see* Riggs T) *23*
Garson A Jr (A) *252;* (A) *258;* (A) *259;* (A) *260;* (A) *263*
Gelband H (*see* Mehta AV) *273;* (A) *253;* (A) *258*
George D (*see* Duncan WJ) *313*
George L (*see* Waldman JD) *221*
Gerlis L (A) *247*
Gilday DL (*see* Schaffer MS) *179*
Gillette PC (A) *258;* (A) *259;* (A) *261*
Girod DA (A) *234*
Gittenberger-de Groot AC (A) *227;* (A) *234;* (A) *235*
Glasgow AM (A) *265*
Gloyna D (A) *263*
Godman MJ (A) *239*
Golan M (LE) *157*
Goldberg SJ (A) *257*
Goor DA (LE) *157*
Gravinghoff L (A) *247*
Greco MA (*see* Danilowicz D) *13*
Green TP (A) *260*
Grenda-Kosiec K (A) *245*
Gross DM (A) *262*
Gussenhoven EJ: Echocardiographic Diagnosis of Overriding Tricuspid Valve in a Child with Ebstein's Anomaly *209*
Gutgesell HP (A) *251;* (A) *262*
Gutheil H (A) *241*

Hadden B (*see* Covitz W) *167*
Haferkorn L (A) *244*
Hafez A (LE) *72*
Hagel KJ (LE) *327*
Hagler DJ (A) *235;* (A) *256*
Handrick W (A) *244*
Hansen TN (A) *252*
Harinck E (A) *230*
Hastreiter AR: Digitalis Toxicity in Infants and Children *131*
Hausdorf G (A) *247*
Häusler H-J (A) *244*
Haworth SG (A) *233*
Hegesh J (LE) *157*
Heintz SE (*see* Brandt B III) *175*
Heintzen PH (*see* Onnasch DGW) *101*
Heise CT (A) *256*
Hennessy JR (*see* Levine M) *107*
Hepner SI (A) *257*
Hermoso T (A) *245*
Heymann MA (*see* Snider AR) *27;* (A) *263*
Hirji M (*see* Snider AR) *27*
Hirose H (LE) *74*
Hitchcock JF (A) *230*
Hoeks APG (A) *239*
Hofbeck M (A) *241*
Hofstetter R (A) *236;* (A) *244*
Holzman B (*see* Kory WP) *301*
Hohle R (*see* Warnecke I) *79*
Homan van der Heide JN (A) *228*
Hopman JCW (A) *239*
Hövels-Gürich H (A) *244*
Howell RR (A) *262*
Hughes DT (*see* Burn J) *55*
Huhta JC (A) *251;* (A) *262;* (A) *263*
Hunter S (A) *239;* (A) *241*

Idriss FS (*see* Bojar RM) *35*
Ilbawi MN (*see* Riggs T) *23;* (*see* Bojar RM) *35*
Ishmael RG (*see* Danilowicz D) *13*
Isom OW (*see* Danilowicz D) *13*
Ivanitsky AV (*see* Burakovsky VI) *111*

Jacobs RF (*see* Robinson P) *61*
Jacobstein MD (A) *257*
Jedeiken R: Ductal Origin of the Left Pulmonary Artery in Severe Tetralogy of Fallot: Problems in Management *323*
Jennings RB Jr (*see* Bullaboy CA) *115*
Johnson DH (*see* Bullaboy CA) *115*
Joksimović I (A) *245*
Jones S (A) *236*
Joyner RW (A) *253*
Julsrud PR (A) *234*

Kachaner J (A) *231*
Kamarás J (A) *238*
Karczenski K (A) *246*
Kashani IA: Prostaglandin E_1 Responsive Ductus at 11 Months of Age *19*
Kato R (A) *261*
Kawashima Y (LE) *74*
Keck EW (A) *247;* (A) *248*
Keeton BR (LE) *74;* (A) *239*
Kelly DH (*see* Colan SD) *267*
Kiel EA (A) *264*
King DH (A) *262*
Kinser J (A) *240*
Kirker JA (*see* Calder AL) *85*
Köhler W (A) *244*
Kory WP: Single Coronary Artery Originating from the Right Pulmonary Artery *301*
Kron IL (*see* Jedeikin R) *323*
Kubicka K (A) *245*
Kuehl KS (A) *256;* (A) *265*
Kupferschmid C: Left Ventricular Thrombi in Three Children with Dilated Cardiomyopathy: Diagnostic Procedure and Clinical Course *65;* (A) *242*

Lamberti JJ (*see* Waldman JD) *221*
Landsman MLJ (A) *237*
Lang D (*see* Kupferschmid C) *65;* (A) *242*
Lang P (A) *264*
Lange PE (*see* Onnasch DGW) *101*
Lauer RM (A) *253*
Leatherbury L (A) *265*
Lebidois J (A) *231*
Lemm W (*see* Warnecke I) *79*
Lenox CC (*see* Zuberbuhler JR) *289*
Lenstra D (A) *228*
Lev M (*see* Bharati S) *123;* (*see* Bharati S) *127*
Levine M: Evaluation of Patients Undergoing Senning Repair with Two-dimensional Contrast Echocardiography *107*
Levitsky S (*see* Fisher EA) *159*
Levy AM (*see* Nathan AW) *7*
Liberthson RR (*see* Colan SD) *267*
Liebman J (A) *255*
Lincoln JCR (A) *231*
Ling WY (*see* Sandor GGS) *93*
Locatelli G (*see* Crupi G) *49*
Lodge NJ (A) *253*
Loitz R (A) *263*
Lucas RV Jr (*see* Feigl A) *185*
Ludomirsky A (LE) *155*
Luken JA (LE) *328*
Lundström N-R (*see* Björkhem G) *317*

Macartney FJ (*see* Anderson RH) *281;* (A) *230*
Macnab AJ (*see* Sandor GGS) *93*
Mahoney LT (A) *253*
Mahony L (A) *251*
Main J (A) *239*
Mair DD (A) *234;* (A) *235*
Maningas C (*see* Duncan WJ) *313*
Marchand X (A) *241*
Marçon F (A) *231*
Marcus B (A) *258*
Mardini MK (LE) *71*
Marin-Garcia J: Myocardial Disease in Rocky Mountain Spotted Fever: Clinical, Functional, and Pathologic Findings *149*
Marrott PR: Idiopathic Infantile Arterial Calcification with Survival to Adult Life *119*
Martinez J (A) *241*
Marvin WJ Jr (A) *251;* (A) *254;* (A) *262*
Marx GR (A) *257*
Mascarello M (A) *242*
Massini C (LE) *157*
Mathewson JW (*see* Waldman JD) *221*
McCurnin D (A) *262*
McGoon DC (A) *255;* (A) *256*
McKone R (A) *265*
McNamara DG (A) *251;* (A) *258*
Mehta AV: M-mode Echocardiographic Findings in Children with Idiopathic Restrictive Cardiomyopathy *273;* (LE) *225;* (A) *258*
Meijboom EJ (A) *228*
Meister E-M (A) *244*
Merritt TA (*see* Kashani IA) *19*
Messersmith DJ (A) *254*
Mianulli MP (A) *261*
Midgley FM (A) *255;* (A) *256*
Mirvis DM (*see* Marin-Garcia J) *149*
Moller JH (A) *261*
Monarrez CN: Septic Involvement of Polytetrafluoroethylene (PFTE) Anastomoses Producing False Aneurysms: Diagnosis and Problems Related to Management *297*
Monro JL (LE) *74*
Montalvo RF (*see* Monarrez CN) *297*
Moore HV (*see* Covitz W) *167*
Morse DE (A) *254*
Moulaert AJ (A) *230*

Nathan AW: Noninvasive Recording of the His Bundle Electrogram in Neonates *1*
Neal MB (A) *263*
Nedeljković V (A) *245*
Neill CA (A) *257*
Netz (LE) *327*
Neufeld HN (*see* Schneeweiss A) *191*
Neutze JM (*see* Calder AL) *85*
Newcombe KD (*see* Marrott PR) *119*
Nordenberg A (*see* Bharati S) *127*
Norton JB (A) *264*
Nose O (LE) *74*

O'Brien SA (A) *254*
O'Riordan AC (A) *258*
Oberhänsli I (A) *229*
Ogawa M (LE) *74*
Olley PM (*see* Schaffer MS) *179*
Onnasch DGW: Left Ventricular Muscle Volume in Children and Young Adults *101*
Otero Coto E: Anomalous Mitral 'Cleft' with Abnormal Ventriculoarterial Connection: Anatomical Findings and Surgical Implications *1;* Dysplasia of AV Valve in Complete AV Canal with Tetralogy of Fallot: Surgical Repair *213*

Ott D (A) *261*
Ottenkamp J (A) *246*
Outwater KM (A) *264*
Overholt ED (A) *253*

Papić R (A) *245*
Parenzan L (*see* Crupi G) *49*
Parmar N (*see* Nathan AW) *7*
Patterson MWH (*see* Sandor GGS) *93*
Pendray MR (*see* Sandor GGS) *93*
Pernot C (A) *231;* (A) *238*
Perry LW (A) *255;* (A) *256;* (A) *257;* (A) *265*
Persigehl M (A) *244*
Peterson MD (A) *263*
Pickoff AS (*see* Mehta AV) *273;* (*see* Kory WP) *301;* (A) *258*
Piechaud JF (A) *231*
Pillai R (A) *231*
Piot JD (A) *240*
Porter CJ (A) *255*
Portman MA (A) *255*
Puga FJ (A) *234;* (A) *255;* (A) *256*

Quaegebeur JM (A) *227;* (A) *234;* (A) *235;* (A) *246*
Quero Jiménez M (*see* Otero Coto E) *1;* (*see* Anderson RH) *281;* (A) *232*

Radley-Smith R (A) *247*
Rautenberg HW (LE) *327*
Readinger RI (A) *264*
Rein AJJT (LE) *155*
Reiter A (A) *263*
Reller M: Coronary Aneurysms in a Patient with Atypical Kawasaki Syndrome and a Streptococcal Infection *205*
Reneman RS (A) *239*
Restivo A: Divided Right Ventricle: a Review of Its Anatomical Varieties *197*
Rey C (A) *240;* (A) *241*
Rheuban KS (*see* Jedeikin R) *323*
Rice MJ (A) *234;* (A) *255*
Riemenschneider TA (A) *255;* (A) *257;* (A) *264*
Rigby ML (*see* Ward DE) *45;* (A) *230;* (A) *232;* (A) *233*
Riggs TW: In Utero Diagnosis of Pericardial Tumor with Successful Surgical Repair *23;* (*see* Bojar RM) *35*
Ritter DG (A) *235*
Roberts S (*see* Levine M) *107*
Robinson P: Group C β-Hemolytic Streptococcal Endocarditis: Report of a Pediatric Case *61*
Rohmer J (A) *246*
Röhner G (LE) *327*
Ronderos M (A) *232*
Rose EF (*see* Brandt B III) *175*
Rosenberg AM (*see* Duncan WJ) *217*
Rosenthal JK (A) *251;* (A) *262*
Rösler H (A) *240*
Ross BA (A) *252*
Rowe RD (*see* Schaffer MS) *179*
Rowland E (A) *237*
Rubin JD (A) *257*
Ruckman RN (A) *254;* (A) *256*

Sagot M (A) *241*
Sahn DJ (A) *239*
Saldana-Garcia P (*see* Burn J) *55*
Sanchez GR (LE) *75;* (A) *258*
Sandor GGS: Clinical and Echocardiographic Evidence Suggesting Afterload Reduction as a Mechanism of Action of Tolazoline in Neonatal Hypoxemia *93*
Sandra A (A) *262*
Sano T (LE) *74*
Sapire DW (*see* Monarrez CN) *297*
Sauer U (A) *230;* (A) *235*
Scagliotti D: Inducible Polymorphous Ventricular Tachycardia following Mustard Operation for Transposition of the Great Arteries *39*
Schaff HV (A) *255*
Schaffer MS: Qualitative Phase Analysis in Pediatric Nuclear Cardiology: Isolation of Cardiac Chambers and Identification of Asynchronous Contraction Patterns *179*
Schasfoort-van Leeuwen MJM (A) *228*
Schmaltz AA (*see* Kupferschmid C) *65*
Schmunk GA (*see* Kashani IA) *19*
Schneeweiss A: Retroesophageal Right Aortic Arch *191;* (A) *254*
Schneider P (A) *244*
Schneider SP (A) *260*
Schreiber MD (A) *263*
Schroeder M-L (*see* Duncan WJ) *217*
Schubert CJ (A) *259*
Schwartz DC (*see* Reller M) *205*
Scott LP III (A) *256;* (A) *265*
Scott O (A) *247*
Sebening F (A) *230*
Seeler RA (LE) *328*
Seidel CL (A) *252*
Sellers BB (*see* Covitz W) *167*
Semb BKH (A) *248*
Seward JB *235*
Shannon C (A) *259;* (A) *261*
Shannon DC (*see* Colan SD) *267*
Shapiro SR (A) *256*
Shelnutt R (*see* Covitz W) *167*
Shem-Tov A (*see* Schneeweiss A) *191*
Sherron P (A) *260*
Shimazaki Y (LE) *74*
Shinebourne EAS (*see* Ward DE) *45;* (*see* Anderson RH) *281;* (A) *232;* (A) *233;* (A) *236*
Shirakura R (LE) *74*
Sholl JS (*see* Riggs T) *23*
Sidi D (A) *231*
Sieg K (A) *247;* (A) *248*
Silverman N (*see* Fisher EA) *159*
Silverman NH (A) *230*
Simcha A (LE) *155*
Simin N (A) *245*
Singer H (A) *241*
Singh BN (A) *261*
Singh SS (*see* Mehta AV) *273*
Sivakoff M (A) *264*
Smith RT (A) *259*
Snider AR: Isolated Ventricular Inversion: Two-dimensional Echocardiographic Findings and a Review of the Literature *27*
Soifer SJ (A) *263*
Somerville J (A) *233*
Sotomora R (A) *264*
Spencker F-B (A) *244*
Starling MB (*see* Calder AL) *85*
Stocker FP (A) *240*
Stolfi A (A) *258*
Strasberg B (*see* Scagliotti D) *39*
Strasburger JF (A) *263*
Strauss M (A) *245*
Suarez C (A) *245*
Subirana MT (A) *233*
Sutherland GR (A) *239*
Swensson RE (*see* Kashani IA) *19;* (A) *239*
Szatmári A (A) *238*
Sznajderman S (LE) *155*

Tacke E (*see* Kupferschmid C) *65;* (A) *242*
Tajik AJ (A) *235*

Tamer DS (*see* Mehta AV) *273;* (A) *260*
Tamir I (LE) *155*
Taylor JFN (*see* Burn J) *55*
Teitel DF (*see* Snider AR) *27*
Texeira OHP (LE) *156*
Thiene G (A) *228*
Tipple MA (*see* Sandor GGS) *93*
Tiraboschi R (*see* Crupi G) *49*
Tomizuka F (A) *239*
Torres-Arraut E (A) *260*
Toussaint R (A) *236*
Traweek M (A) *259*
Treves S (A) *264*
Truman AT (*see* Covitz W) *167*
Tùma S (A) *244*
Tynan M (*see* Anderson RH) *281*
Tyrrell MJ (*see* Duncan WJ) *217;* (*see* Duncan WJ) *307;* (*see* Duncan WJ) *313*

Utley JR (*see* Kashani IA) *19*

Vadhat S (A) *241*
Van der Horst RL (*see* Hastreiter AR) *131*
Van Egmond H (A) *243*
Van Gils FAW (A) *227*
Van Heeckeren D (A) *255*
Van Mierop LHS: Diagnostic Code for Congenital Heart Disease *331*
Van Mill GJ (A) *230*
Vargo TA (A) *259*
Vignati G (A) *242*
Valdez-Cruz LM (A) *239*
Villain E (A) *231*
Villani M (*see* Crupi G) *49*
Vitarelli A (*see* Björkhem G) *317*
Vogel M (A) *230*
Von Bernuth G (A) *236;* (A) *242;* (A) *244*

Waldman JD: Surgical Closure of the Tricuspid Valve for Pulmonary Atresia, Intact Ventricular Septum, and Right Ventricle to Coronary Artery Communications *221;* (A) *254*
Wampler D (A) *261*
Ward DE: Rapid Ventricular Pacing to Control Resistant Neonatal Atrioventricular Reentrant Tachycardias *45;* (A) *236*
Ward KE (A) *259*
Warnecke I: Transvenous Double-balloon Occlusion of the Persistent Ductus Ateriosus: an Experimental Study *79*
Watson DC (A) *255;* (A) *256*
Weber JW (A) *240*
Weesner K (A) *265*
Wenink ACG (A) *227;* (A) *246*
Wiggins JR Jr (A) *265*
Wilkinson JL (*see* Anderson RH) *281*
Williams JC (A) *262*
Wilson N (A) *247*
Wing T-Y (A) *262*
Wolf WJ (A) *263*
Wolfe RR (A) *265*
Wolff GS (*see* Mehta AV) *273;* (A) *260*
Worms AM (A) *231*
Wünschmann H (A) *230*

Yabek SM (A) *261*
Yabuuchi H (LE) *74*
Yacoub M (A) *247*
Yoganathan AJ (A) *239*

Zdravković D (A) *245*
Zettergvist P (A) *243*
Zuberbuhler JR: Ebstein's Malformation and the Embryological Development of the Tricuspid Valve *289*